L Number	Hits	Search Text	DB	Time stamp
1	1	6604141.pn. and (problem same determin\$6)	USPAT	2003/11/25 13:10
6	1	6513013.pn. and (internet)	USPAT	2003/11/25 13:10
7	1	6513013.pn. and (internet same service)	USPAT	2003/11/25 13:10
-	206	pc and fault.ti.	USPAT	2003/11/25 10:57
-	68	(pc and fault.ti.) and diagnost\$3	USPAT	2003/03/21 08:16
-	479	subscriber with problem with network	USPAT	2003/03/21
-	25	(subscriber with problem with network)	USPAT	2003/03/21 08:18
-	3	(US-6519717-\$ or US-6367035-\$ or US-5983364-\$).did.	USPAT	2003/03/21 08:22
-	38	fault near tolerant near protocol	USPAT	2003/03/21
-	11	(fault near tolerant near protocol) and diagnos\$4	USPAT	2003/03/21
-	1	5758071.pn.	USPAT	2003/03/21
-	3	"9945694"	USPAT; EPO; JPO; DERWENT	2003/03/21
_	11712	<pre>subscriber same (problem misconfigur\$3 configur\$5 troubl\$8)</pre>	USPAT; EPO; JPO; DERWENT	2003/03/21 10:28
-	8619	subscriber same (problem misconfigur\$3 configur\$5 troubl\$8)	USPAT	2003/03/21 10:28
-	3445	subscriber same (problem misconfigur\$3 configur\$5 troubl\$8) same network	USPAT	2003/03/21
-	1118	subscriber with (problem misconfigur\$3 configur\$5 troubl\$8) with network	USPAT	2003/03/21
-	1	troubleshoot\$3 same connectivit\$3 same subscriber same network	USPAT	2003/03/21
-	36	customer and pstn and pop and isp and (call near center)	USPAT	2003/03/21
-	1	6314475.pn. and fail\$3	USPAT	2003/03/21 12:10
-	33	<pre>(customer and pstn and pop and isp and (call near center)) and (fail\$3 \$3configur\$5 establish\$3)</pre>	USPAT	2003/03/21 10:57
-	33	((customer and pstn and pop and isp and (call near center)) and (fail\$3	USPAT	2003/03/21 11:23
_	677	\$3configur\$5 establish\$3)) and connect\$3 diagnostic near unit	USPAT	2003/03/21
-	39	(diagnostic near unit) and subscriber	USPAT	12:08   2003/03/21   11:38
_	26	((diagnostic near unit) and subscriber) and configuration	USPAT	2003/03/21 11:38
-	52	(diagnostic near unit) and (client subscriber) and problem	USPAT	2003/03/21 12:08
-	8	(diagnostic near unit) and isp	USPAT	2003/03/21 12:08
-	7	((diagnostic near unit) and (client subscriber) and problem ) and (computer host pc) and isp	USPAT	2003/03/21 12:08
-	1	6314475.pn. and configuration and modem and isp and diagnostic	USPAT	2003/03/21 12:18
-	1	6314475.pn. and configuration and isp and diagnostic	USPAT	2003/03/21 12:28
-	38	fault near tolerant near protocol	USPAT	2003/03/21 12:20
-	5	receiv\$3 with subscriber with problem near3 network	USPAT	2003/03/21 12:37
_	3	ISP and (troubleshoot\$3 with modem\$3)	USPAT	2003/03/21 12:28

-	, 34	client and server and ((trouble near)	USPAT	2003/03/21
-	38	shoot\$3) with network)   fault near tolerant near protocol	USPAT	12:43 2003/03/21
-	38	fault near1 tolerant near1 protocol	USPAT	12:49 2003/03/21
-	1187	call near center	USPAT	13:30 2003/03/21
-	19	(call near center) and (trouble near ticket\$3) and (e near1 mail)	USPAT	13:31 2003/03/21
-	35		USPAT	14:12 2003/03/21 15:29
-	1	6314475.pn. and problem	USPAT	2003/03/21
_	1	6314475.pn. and network	USPAT	15:36 2003/03/21 15:39
_	1	6314475.pn. and fail\$3	USPAT	2003/03/21
-	1	6314475.pn. and error	USPAT	2003/03/21
-	106	troubleshoot and network.ti.	USPAT	2003/03/21
-	176	troubleshoot and network.ab.	USPAT	2003/03/21
-	599	troubleshoot\$3 and network.ab.	USPAT	2003/03/21
-	310	troubleshoot\$3 and network.ti.	USPAT	2003/03/21
_	0	troubleshoot\$3 near network.ti.	USPAT	2003/03/21 15:47
_	3	troubleshoot\$3 near network.ab.	USPAT	2003/03/21 15:50
_	0	troubleshoot\$3 with (computer client pc) with ISP.ab.	USPAT	2003/03/21 15:50
-	0	((trouble near1 shoot\$3) fix\$3 correct\$3) same (computer client pc) same ISP.ab.	USPAT	2003/03/21 15:51
-	42	(computer client pc) same ISP.ab.	USPAT	2003/03/21 16:03
-	54	(computer client pc subscriber) same ISP.ab.	USPAT	2003/03/21 16:03
-	9	forward\$3 with configuration with electronically	USPAT	2003/03/24 09:13
_	15457	problem with network	USPAT	2003/03/24 09:13
-	1540	(problem with network) and diagnostic	USPAT	2003/03/24 09:14
-	236	((problem with network) and diagnostic) and configuration near information	USPAT	2003/03/24
_	20	(((problem with network) and diagnostic) and configuration near information) and ISP	USPAT	2003/03/24
-	15	((((problem with network) and diagnostic) and configuration near information) and	USPAT	2003/03/24 09:40
_	1	ISP) and modem 6496858.pn. and (report\$3 with (problem error)) and (configuration near	USPAT	2003/03/24
_	1	information) 6496858.pn. and (send\$3 and	USPAT	2003/03/24
_	0	(configuration near information)) 6496858.pn. and (send\$3 with	USPAT	10:08 2003/03/24
_	1	(configuration near information)) 6496858.pn. and (transmit\$4 with	USPAT	10:08 2003/03/24
_	1	(configuration near information)) 6496858.pn. and (manager same	USPAT	10:13 2003/03/24
_	1	(configuration near information)) 6496858.pn. and (error problem)	USPAT	10:30 2003/03/24
-	1	((subscriber client) with modem\$3 with problem) same ISP	USPAT	10:32
-	39	<del>*</del>	USPAT	10:33 2003/03/24 10:34
	I	1 comme broblem, same the	L	1 10.03

-	44	connection) same (problem error)) same	USPAT	2003/03/24 10:56
-	519	ISP   diagnos\$\$\$\$\$\$ same ((web nearl site\$) or   internet)	USPAT	2003/03/24
-	5008	diagnos\$\$\$\$\$\$ same configurat\$\$\$\$\$\$	USPAT	2003/03/24
-	135	technic\$\$\$\$\$\$ same (diagnos\$\$\$\$\$\$ same configurat\$\$\$\$\$\$ )	USPAT	2003/03/24
-	84		USPAT	2003/03/24
-	0	<pre>(web nearl site\$) same (technic\$\$\$\$\$\$ same (diagnos\$\$\$\$\$\$ same configurat\$\$\$\$\$\$ ))</pre>	USPAT	2003/03/24 11:05
-	7	(web near1 site\$) and (technic\$\$\$\$\$\$ same (diagnos\$\$\$\$\$\$ same configurat\$\$\$\$\$\$ ))	USPAT	2003/03/24
_	29		USPAT	2003/03/24 13:26
-	2		USPAT	2003/03/24
-	152		USPAT	2003/03/24
-	1	6473812.pn.	USPAT	2003/03/24
-	1	6065136.pn.	USPAT	2003/03/24
-	1	6023723.pn.	USPAT	2003/03/24
-	1	6003070.pn.	USPAT	2003/03/24
-	1	6314475.pn. and network	USPAT	2003/03/24
-	1	6314475.pn. and isp	USPAT	2003/03/24 14:04
-	1	6314475.pn. and problem	USPAT	2003/03/24 14:04
-	0	6314475.pn. and test\$3	USPAT	2003/03/24
-	1	6314475.pn. and configuration	USPAT	2003/03/24 14:11
-	0	6314475.pn. and forward\$3	USPAT	2003/03/24 14:11
-	1	6314475.pn. and (send\$3 transmit\$4)	USPAT	2003/03/24 14:13
-	1	6314475.pn. and (information setting)	USPAT	2003/03/24
-	52	wireless near2 hub	USPAT	2003/03/24
-	5	(wireless near2 hub) and java	USPAT	2003/03/24 15:49
-	0	("6496858" "6065136" "6529938" "6011806" "5966428" "6493447" "6330597").pn. and dignostic near unit	USPAT	2003/03/24 15:51
_	1	dignostic near unit	USPAT	2003/03/24
-	1	("6496858" "6065136" "6529938" "6011806" "5966428" "6493447" "6330597").pn. and fault near tolerant	USPAT	2003/03/25 08:06
_	38	fault near tolerant near protocol	USPAT	2003/03/25
-	2	(tolerant near protocol) same network	USPAT	2003/03/25
-	7612	configuration near information	USPAT	2003/03/25 09:44
-	17	((forward\$3 transmit\$4 send\$3) near2 (configuration near information) with network) and diagnos\$3	USPAT	2003/03/25 10:00
-	60		USPAT	2003/03/25 12:35
	1	network	<u> </u>	L

_	8	((forward\$3 transmit\$4 send\$3) near2 (configuration near information) with	USPAT	2003/03/25 12:35
-	4	network) and ISP (fault near tolerant near protocol) and ISP	USPAT	2003/03/25
-	12268	(allow\$3 near communication)	USPAT	2003/03/25
-	400	protocol with (allow\$3 near communication)	USPAT	2003/03/25
-	10	•	USPAT	2003/03/25
-	91	(protocol with (allow\$3 near communication) ) and diagnos\$4	USPAT	2003/03/25
-	36	((protocol with (allow\$3 near communication) ) and diagnos\$4) and configuration near2 information	USPAT	2003/03/25 12:47
-	10397	configuration near2 information	USPAT	2003/03/25
-	81	<pre>(configuration near2 information) and troubleshoot\$3 and (problem near3 network)</pre>	USPAT	2003/03/25 12:50
-	58	(configuration near2 information) and troubleshoot\$3 and (problem near network)	USPAT	2003/03/25 12:48
-	14	(US-6002502-\$ or US-6275741-\$ or US-6011806-\$ or US-5598529-\$ or US-6065136-\$ or US-6529938-\$ or	USPAT	2003/03/25 12:57
		US-6073172-\$ or US-6496858-\$ or US-6513013-\$ or US-6493447-\$ or US-6330597-\$ or US-5966428-\$ or		
_	168	US-6501950-\$ or US-5913041-\$).did.	USPAT	2003/03/25
_	0	information) (protocol same (allow\$3 near	USPAT	13:27 2003/03/25
	Ĭ	communication) same misconfigur\$5) and isp	OSFAI	13:27
-	0	<pre>(protocol same (allow\$3 near communication) same misconfigur\$5) and ((internet near service near provider) or ISP\$\$\$)</pre>	USPAT	2003/03/25
-	50	(subscriber with (configur\$5 near2 information)) and ((internet near service	USPAT	2003/03/25 13:32
-	137	near provider) or ISP\$\$\$) (forward\$3 transmit\$4 send\$3) near2 ((configur\$5 setting) near (information data)) with network	USPAT	2003/03/25 13:32
-	11	((forward\$3 transmit\$4 send\$3) near2 ((configur\$5 setting) near (information data)) with network) and ((internet near service near provider) or ISP\$\$\$)	USPAT	2003/03/25 13:32
-	1	_	USPAT	2003/03/25 13:55
-	1	1	USPAT	2003/03/25
-	1	6079020.pn. and ISP	USPAT	2003/03/25
-	1	6079020.pn. and (configuration near information)	USPAT	2003/03/25
-	0	6079020.pn. and (identification)	USPAT	2003/03/25 14:21
-	0	6079020.pn. and (userneame)	USPAT	2003/03/25 14:21
-	0	6079020.pn. and (username)	USPAT	2003/03/25 14:21
-	1	6079020.pn. and (user adj name)	USPAT	2003/03/25 15:31
-	1	6079020.pn. and (authenticat\$3)	USPAT	2003/03/25 15:33
-	1	6513013.pn. and ticket and identification	USPAT	2003/03/25 16:09
_	1	6513013.pn. and login	USPAT	2003/03/25 16:09

-	1	6604141.pn. and problem	USPAT	2003/11/25
_	0	6604141.pn. and problem and configur\$7	USPAT	12:30 2003/11/25
_	1	6513013.pn. and internet	USPAT	11:25 2003/11/25
	1	6513013.pn. and ((web near (site page) or	USPAT	11:02 2003/11/25
	-	website or webpage))		11:02